Import master data

General information

If a large number of employees is to be created, it would be relatively time-consuming to do this via the menu item Persons¹. Therefore there is the possibility to enter the **master data** and all other relevant information concerning the persons to be created comfortably in a Microsoft Excel folder, from where they are finally read out and imported. The folder provided for this purpose is described below - each of its pages under the same heading.

NOTIZ

The columns highlighted in red on the screenshots are mandatory fields - the yellow fields can be filled **optionally**.

The document

Employee master data

This page deals with the personal data of the employees and the assignment to loose groups.

Emplo	str E ir	rstna	Titlel	User-	OE	E -	Dat é	Sende	Tel.	FaxMob	A ddre	Zip	City	ounti	UMean	nagen	Admin
ID				ID		Mail	of birth			Pho	ne	Code					
321654	Hartı	nAden	ander	AleH	la¥Y- GF	aleha	u0 5 0.XI	3 /11/217/2	5	065	50 58/88 Stra 10		Vien	n a T	J	J	J
789653	Hodi	Gerh	alDd.	GerH	IXIY- BAS	_	o1@.X	7Yihants)	067	769 5282 Stra 1		Vien	n a T	J	N	J
963874	Schw	/ Inzi ka	aMag.	EriSo	EXY- PERS		h2@4X0	3.T.km 68	le	066	50 314512 18	8418412	ßé ien	n a T	J	J	N
359852	2Seidl	Gunt	er	Guns	SMY- SUP	guns	el@X	Oyibanke)	066	54 7/5/22 14/ c	34/5 162	zVien	n a T	J	N	N

The following is an explanation of those columns that require such an explanation:

Employee ID

This refers to the personnel number assigned to the employee in the company.

User-ID

This is the user name under which the employee is to be created in Personalwolke. The user name can be any combination (in this case, the first 3 letters of the first and last names would be used).

• OE - short for: organizational unit

This includes the various departments of the company, such as management (GF), personnel (PERS) etc. This column contains the short names of the relevant OU.

• User / Management / Admin

In the Personalwolke these are the names of the 3 different *loose groups*. Depending on which of these groups the user is assigned to (Y = Yes, add / N = No, do not add), he or she receives different authorizations in the Personalwolke.

Import master data

Organizational units

This page is used to define the hierarchical groups / departments and their relationships to each other.

ShortnaiNameParentperversonnel

			<u>-</u>		
XF- GF	CEO	ROO	ГЗ2165	96387	74
XY- BAS	Basis Service		32165	96387	74
XY- EMPS	Emplo	o xex s GF	96387	7 9 6387	74
XY- SUP	Suppo	ЖY- GF	96387	79 6387	74

Shortname

This consists of the fixed client abbreviation (XY) and a freely selectable abbreviation of the OU / department.

Name

The full name of the OU / department.

Parent

The **short name** entered here indicates which OU the department is subordinate to in the question. This allows a clear hierarchical order to be created. In the screenshot above, **root** is given for the *management* - this means that the management does not have a superior department, i.e. is at the top of the hierarchy.

Supervisor

Or even **department heads** - this includes the personnel number of the employee who holds this position in the company. It is important to ensure that it matches what was entered under **Person master data**.

Personnel

As with the supervisor, the correct personnel number of the person who has this **role** for the relevant department must also be specified here.

NOTIZ

A definition of the roles **superior** and personnel is contained in the menu option Roles².

Daily program

Various working time models can be recorded here, depending on the structure of the company.

Nu		H Q (signatī	Validity TP Start	Validity TP End	Frame Time Start		Vorkin Time Start	ì	Core Time Start		Daily Target
	1	G/	7Ç42 /7,4 Mon- Fri	1 2/007(0)() 24800 0/	07:00	18:00	08:00	16:42	09:30	16:00	07:42
	2	G/	OGlz/0/- Sat, Sun, Holida		24:00	07:00	14:00					00:00

Number

Import master data 2

The **daily programs** must be clearly numbered - these numbers can also be used to enter them on the **Weekly Programs** page.

Short text

A freely selectable short name for the day program. In the above case, **G/7.42** stands for a flexitime model (Gleitzeitmodell) with a daily target of **7 hours** and **42 minutes**.

Designation

As shown in the screenshot, the long name of the program could be chosen to contain the most important information.

• Validity TP Start / End

This is the period in which the daily schedule is valid. Shift models are an exception to the normal case (00:00 - 24:00), since night shifts can extend from late evening to long after midnight.

Daily target

The daily target working time mentioned above specifies the number of working hours that an employee must work each day (on average) in order to achieve his or her weekly target.

Weekly program

The weekly program determines which daily program is used on which day of the week.

Short text	Long text	Mon	Tue	Wed	Thu	Fri	Sat	Sun	max. weekly working hours
Glz/3	8ÇAz/3 - 18:00		00	1	1	1	2	2	50,00

Short text

A freely selectable short name for the week program. In the above case, **G/38.3** stands for a flexitime model (Gleitzeitmodell), with a weekly working time of **38.3 hours** and a framework time between 07:00 and 18:00 hours.

Long text

As shown in the screenshot, the long name of the program could be chosen to contain the most important information.

• Mon -Sun

The number of the applicable **day program** is entered under the respective short names of the weekdays (Mon - Sun).

1. /daisy/personalwolke-admin/5928-dsy.html?language=4

2. /daisy/personalwolke-admin/5886-dsy.html?language=4

Import master data 3