

Job getAbsenceTextModules

Der Job Get Absence Text Modules hat die Aufgabe,

The screenshot shows a web-based configuration interface for a job. At the top, there's a header with a clock icon and the word 'Job'. Below this is a navigation bar with four buttons: 'Speichern' (Save), 'Speichern & Schließen' (Save & Close), 'Zurück' (Back), and 'Job starten' (Start Job). The main form is divided into two sections. The top section contains three fields: 'Name' with the value 'getAbsenceTextModules', 'Aktiv' with a dropdown set to 'Nein', and 'Beschreibung' with a text area containing the description: 'generates Textmodules for all the AbsenceReasons inside the TA System. (but only for the default language!)'. The bottom section is titled 'Trigger' and contains a table with three columns: 'Zeitplan Typ', 'Einstellungen', and 'Löschen'. The first row shows 'Täglicher Trigger' as the type, 'Stunde 20' and 'Minute 00' as settings, and an unchecked checkbox in the 'Löschen' column. Below the table is a 'Neuer Trigger' section with a dropdown menu currently set to 'Nichts gewählt'.

Zeitplan Typ	Einstellungen	Löschen
Täglicher Trigger	Stunde 20 Minute 00	☐

Neuer Trigger

Nichts gewählt

Eine detaillierte Beschreibung zu den allgemeinen Job-Parametern finden Sie im Kapitel **Jobs**.