

Statistics

General

This menu item enables the user to start a query that clearly displays information on sick days, holidays taken and attendance for each employee concerned.

The **statistics** shows the selected accounts of the employees clearly according to the selected criteria whereby both the current (light grey column) and the average values (dark grey columns) are displayed.

Statistik																						
Abfrage Suchmaske anzeigen																						
Statistik, 2013																						
Konto	01/13	02/13	03/13	04/13	05/13	06/13	07/13	08/13	09/13	10/13	11/13	12/13	Summe									
Huber, Peter - Anzahl: 4																						
Kranktage																						
Wochentage																						
Kranktage inkl.Sa/So/Fe																						
Urlaub konsumiert																						
Anwesenheit																						
Renner, Rudi - Anzahl: 4																						
Kranktage																						
Wochentage																						
Kranktage inkl.Sa/So/Fe																						
Urlaub konsumiert																						
Anwesenheit																						
Zusammenfassung																						
Anzahl der Angestellten	2																					

The Search mask

Year

The year for which the presentation is to be made.

Account

- all
- sick days (working days)
- sick days (incl. Sat/Sun/Fe)
- Vacation Consumed
- Attendance

Period under consideration

- calendar year
- Last 12 months

Direction

- Forward - display months in ascending order

- Backwards - months displayed in descending order

Grouping

This parameter can only be changed if the Account parameter is set to Sick Days, Vacation Consumed or Attendance.

It allows you to choose between: No grouping, 1st level, 2nd level, 3rd level.

- **No grouping:** all users are displayed in alphabetical order.
- **1st level:** all selected groups and users are grouped below the 1st node and then displayed.
 - Example:
 - Selection of group PB --> Employees are displayed under PB, since PB is the highest node in the organizational chart.
- **2nd level:** analogous to the 1st level all users below the 2nd node are displayed here.
- **3rd level:** analogous to the 1st and 2nd level

Historicization

Use past / expired (historical) group affiliations.

Output format

If this parameter is set to **print version**, you get a print-friendly output of the list.

Selection tree

This parameter offers the following selection options: Groups with access authorization, All groups.

- **Groups with access rights:** Displays all groups that the user has access to.
- **All groups:** displays all groups of the company, even if the user is not authorized to view them all.

Search

If a search term is entered, the system searches in all groups for which access authorization exists. It is possible to search for a complete name (surname, first name) or for a part of the name. The result then contains all possible surnames as well as first names and is highlighted in color.

Include selection in search

In principle, all groups for which access authorization exists are searched when an entry is made in the **Search** field.

If this option is checked, only the groups selected under **Selection** will be searched.

Selection

With this parameter, the user has the choice between organigrams and favorites, which can be created by the user himself.

- **Organigram**
 - All folders marked with a plus (+) symbol can be expanded further to show the subunits.
 - By clicking on a unit, it will be checked. By **double-clicking**, all subunits are automatically checked.

- by clicking on the green arrow > **Show subgroups to depth** (depth 1-3) > all existing subgroups are displayed
- using the blue arrow > **Minimize tree** > this view is minimized again, only the parent groups seem to be on
- **Show details** > By clicking on the symbol selected groups are clearly displayed in a list to the right of the symbol. Click again to hide the detailed information.
- Clicking the **query** button starts the search.
- **Favorites**
Using this parameter, each user can create their own favorites list, which can contain both persons and groups that are frequently queried. The Favorites list can be customized at any time.

Auswahl

Organigramm **Favoriten**

Gruppen

Bisher wurden keine Gruppen hinzugefügt

Hinzufügen

Personen

Nachname	Vorname	Gruppe		
Honig	Helga	PB	▲▼	✖

Hinzufügen

- To **add a person to the favorites list** > click the blue arrow > select person > click the "Add" button
- The order of the persons on the favourites list can be changed at any time using the arrow keys.
- If you want to remove a person from the favorites list, click on the red delete icon to the right of the name.
- The same applies to **groups**.

The Result

The **statistics** display the selected employee accounts clearly according to the selected criteria.

Statistik, 2013														
Konto	01/13	02/13	03/13	04/13	05/13	06/13	07/13	08/13	09/13	10/13	11/13	12/13	Summe	
Huber, Peter - Anzahl: 4														
Kranktage Wochentage						0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00
Kranktage inkl.Sa/So/Fe						0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00
Urlaub konsumiert						0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00
Anwesenheit						115:30	115:30	178:17	146:53	161:42	151:50	161:42	154:18	177:06
Renner, Rudi - Anzahl: 4														
Kranktage Wochentage			0,00	0,00	0,00	0,00	0,00	9,00	2,25	23,00	6,40	19,00	8,50	21,00
Kranktage inkl.Sa/So/Fe			0,00	0,00	0,00	0,00	0,00	11,00	2,75	23,00	6,80	20,00	9,00	23,00
Urlaub konsumiert			0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00
Anwesenheit			26:54	26:54	161:42	94:18	146:18	111:38	82:48	104:26	0:00	83:32	16:02	72:17
Zusammenfassung														
Anzahl der Angestellten	2													

(In this screenshot, the value "No grouping" has been selected for the grouping, which displays an alphabetical list of employees.)

The values in the light gray columns describe the current values for the respective month. Immediately afterwards, in the dark gray columns, the average values of the months past since the beginning (in this case 01/13) are displayed (only those months are added for the calculation of the average, sum > 0:00 or 0,00 was).