

Webdesk 4

For the Installation used File: setup-webdesk-xxxx-xx-bit.exe

The Installation starts with a Double-click.

- Choose your language: German or English
- Select installation variant:
 - Standalone-Installation
With context path of the application: webdesk
Standalone is selected if no other web server is to run on this device
 - Installation in existing Web-Server
this Installation is usefull if there is allready an existing Server with tomcat installed
- Choose Standalone, next
- Select destination directory, C:\WebdeskEWP , install
- Webdesk get installed
- Choose your License
 - License-File (Textfield with a Chooser)
you get your license from Workflow
 - Demo-License
- choose the right License, next
- Select Webdesk Database Type
 - Database Server
This option is to be selected if a permanent operation is desired (seperated SQL Server, etc.)
 - Temporary Database
is includet in the Webdesk-Setup, losts its entries if the Webdesk gets shut down
- Choose your Database Server, next
- Important information appears about the databases, next
- Webdesk Database-Connection
 - User: wdadm
 - Password: wdadm
 - Hostname: localhost
 - Database: SQL Server
 - Schema: webdesk
 - Port: 1433
 - JDBC-URL: jdbc:sqlserver://localhost:1433;databaseName=webdesk
 - next
- Connection was successful!, next
- Shark Database-Connection
 - User: wdadm
 - Password: wdadm
 - Hostname: localhost
 - Database: SQL Server
 - Schema: webdesk
 - Port: 1433
 - JDBC-URL: jdbc:sqlserver://localhost:1433;databaseName=shark
 - next

- Installation completed successfully!
 - „Start Webdesk Server“ ist checked
 - „Start Web-Browser for Webdesk“ ist checked
 - finish
- The web browser opens a window with the Webdesk in it
- Check in the Windows services whether Webdesk Server is running: yes
- Open the Properties of Webdesk server and change the start type to automatically, apply, ok
- Log in as administrator in the browser window