

Booking mask solo

There is a possibility to call for a special booking mask - booking mask solo - which can be integrated in an existing websites, or started via **Autostart file**.

The intended purpose of the booking mask solo is to give the user a possibility of time bookings.

neue Buchung		letzte Buchung	
Datum	05.09.2006	Datum	05.09.2006
Uhrzeit	11:34	Uhrzeit	11:23
Buchungsrhythmus	GEHT	Letzter Buchungsrhythmus	KOMMT
Fehlgründe	Anwesend	Letzter Fehlgrund	
Mitteilung			

The link for the booking-window could be as follows:

[http://webdesk3/webdesk3/ta_doBooking.act?
layouttemplate=blankTemplate&closeAfterBooking=true&resizeToW=500&resizeToH=360&showUser=true&showJournal=false](http://webdesk3/webdesk3/ta_doBooking.act?layouttemplate=blankTemplate&closeAfterBooking=true&resizeToW=500&resizeToH=360&showUser=true&showJournal=false)

The parameters can be defined as follows:

URL: ta_doBooking.act

- GET-Parameter:

layouttemplate=blankTemplate --> Heading bar, hide menu tree

closeAfterBooking=true --> after the booking the window will close via a JavaScript

resizeToW=[wert] --> width of the window

resizeToH=[wert] --> Höhe des Fensters

showUser=true --> User name is displayed

showJournal=false --> Link to the journal is hidden >> reasonable, as it can not be displayed in a small window

1. [http://webdesk3/webdesk3/ta_doBooking.act?
layouttemplate=blankTemplate&closeAfterBooking=true&resizeToW=500&resizeToH=360&showUser=true&showJournal=false](http://webdesk3/webdesk3/ta_doBooking.act?layouttemplate=blankTemplate&closeAfterBooking=true&resizeToW=500&resizeToH=360&showUser=true&showJournal=false)