

Webdesk 4

General

This article describes the steps required to install a **Webdesk 4.x**.

Steps in Detail

File used for the installation: setup-webdesk-xxxx-xx-bit.exe

Double-click to start the installation.

- Select language: German or English
- The welcome screen appears --> Next
- Select installation variant:
 - Standalone installation
with application context path: webdesk
Standalone is selected if no other web server is to run on this device
 - Installation in an existing web server
This installation is selected if a server with a Tomcat already exists
- Select Standalone, then continue
- Select target directory - C:\WebdeskEWP - install
- Webdesk is installed
- Select license
 - License file (text field with chooser)
The license must be requested from Workflow
 - Demo license
- Select the license, then Next
- Select Webdesk database type
 - Database server
Select this option if permanent operation is desired (separate SQL Server, etc.)
 - Temporary database
These are included in the Webdesk setup, but lose their entries as soon as Webdesk is shut down
- Select Database server, then Next
- Important information about the databases appears --> Next
- Webdesk database connection
 - User: wdadm
 - Password: wdadm
 - Hostname: localhost
 - Database: SQL Server
 - Schema: webdesk

- Port: 1433
- JDBC URL: jdbc:sqlserver://localhost:1433;databaseName=webdesk
- Next
- The connection was successful! --> Next
- Shark database connection
 - User: wdadm
 - Password: wdadm
 - Hostname: localhost
 - Database: SQL Server
 - Schema: webdesk
 - Port: 1433
 - JDBC URL: jdbc:sqlserver://localhost:1433;databaseName=shark
 - Next
- Installation completed successfully!
 - "Start Webdesk Server" is checked
 - "Start web browser for Webdesk" is checked
 - Finish
- A window with Webdesk opens in the web browser
- In the services, check whether the Webdesk server is running
- Open the properties of the Webdesk server and change the startup type to Automatic - Apply - OK
- Log in as administrator in the browser window